

Sanchis J, et al. Geriatric conditions and invasive management in frail patients with NSTEMI. A subgroup analysis of a randomized clinical trial. *Rev Esp Cardiol.* 2024.

SUPPLEMENTARY DATA±

Table 1 of the supplementary data. Baseline patient characteristics

| | Invasive | Conservative | Standardized differences |
|---|----------|--------------|--------------------------|
| N = 167 | 84 | 83 | |
| Demographic data | | | |
| <i>Age, y</i> | 86 ± 5 | 85 ± 5 | .218 |
| <i>Male sex</i> | 32 (38) | 47 (57) | .401 |
| <i>Diabetes</i> | 50 (60) | 43 (52) | .155 |
| <i>Insulin treatment</i> | 19 (23) | 19 (23) | .006 |
| <i>Hypertension</i> | 77 (92) | 76 (92) | .004 |
| <i>Hypercholesterolemia</i> | 63 (75) | 65 (78) | .078 |
| <i>Current smoker</i> | 3 (3.6) | 2 (2.4) | .230 |
| <i>Peripheral artery disease</i> | 9 (11) | 9 (11) | .004 |
| <i>Chronic kidney disease</i> | 39 (46) | 35 (42) | .085 |
| <i>Dialysis</i> | 3 (3.6) | 2 (2.4) | .068 |
| <i>Prior myocardial infarction</i> | 19 (23) | 32 (39) | .349 |
| <i>Prior PCI</i> | 19 (23) | 33 (40) | .374 |
| <i>Prior CABG</i> | 5 (6.0) | 11 (13) | .248 |
| <i>Prior history of atrial fibrillation</i> | 26 (31) | 19 (23) | .181 |
| <i>Prior stroke</i> | 13 (16) | 17 (21) | .203 |
| <i>Prior admission for heart failure</i> | 13 (16) | 16 (19) | .100 |
| Hemodynamic data | | | |
| <i>Systolic blood pressure, mmHg</i> | 139 ± 27 | 141 ± 23 | .060 |
| <i>Diastolic blood pressure, mmHg</i> | 69 ± 16 | 70 ± 12 | .105 |
| <i>Heart rate, beats/min</i> | 77 ± 15 | 79 ± 21 | .095 |
| <i>Killip class</i> | | | .0049 |

Sanchis J, et al. Geriatric conditions and invasive management in frail patients with NSTEMI. A subgroup analysis of a randomized clinical trial. *Rev Esp Cardiol.* 2024.

| | | | |
|---|------------|------------|------|
| I | 67 (80) | 61 (74) | |
| II | 11 (13) | 19 (23) | |
| III | 6 (7.1) | 3 (3.6) | |
| ECG | | | |
| <i>Normal ECG</i> | 26 (31) | 27 (33) | .127 |
| <i>ST-segment depression</i> | 34 (41) | 25 (30) | .187 |
| <i>T-wave inversion</i> | 9 (11) | 16 (19) | .043 |
| <i>Left bundle branch block</i> | 10 (12) | 10 (12) | .040 |
| <i>Pacemaker</i> | 5 (6.0) | 5 (6.0) | .003 |
| Blood test | | | |
| <i>Hemoglobin, g/dL</i> | 12.4 ± 1.6 | 12.4 ± 1.8 | .008 |
| <i>Creatinine, mg/dL</i> | 1.4 ± 0.9 | 1.3 ± 0.7 | .056 |
| CABG, coronary artery bypass grafting; PCI, percutaneous coronary intervention. Continuous variables are presented as mean ± SD, and categorical variables as No. (%). | | | |

Sanchis J, et al. *Geriatric conditions and invasive management in frail patients with NSTEMI. A subgroup analysis of a randomized clinical trial. Rev Esp Cardiol. 2024.*